




# BasorSUPPORT





BasorSUPPORT










C-SHO	SCR	SRB
 <b>GS GC i304 i316</b>	 <b>GS GC i304 i316</b>	 <b>GS GC</b>
GS/GC 105-27 kg (231-59 lb)	GS/GC 105-70 kg (231-59 lb)	
i304/i316 85-22 kg (187-48 lb)	i304/i316 115-40 kg (253-88 lb)	95-70 kg (209-154 lb)
P. 45 / 54	P. 45 / 51	P. 45


SRB-N	SHL	SHR	SP2
 <b>GS</b>	 <b>GC i304 i316</b>	 <b>GC i304 i316</b>	 <b>EZ GC</b>
160-97 kg (352-213 lb)	350-165 kg (771 - 363 lb)	395 - 240 kg (870 - 529 lb)	218-73 kg (480-160 lb)
P. 46	P. 46	P. 47	P. 47


SP2D	SP4	SP4D	SP8
 <b>GC</b>	 <b>EZ GC i304 i316</b>	 <b>GC i304 i316</b>	 <b>GC</b>
325-230 kg (717-508 lb)	GS/GC 557-201 kg (1227-443 lb)	GC 500-260 kg (1103-574 lb)	600-305 kg (1322-672 lb)
P. 47	i304/i316 525-213 kg (1157-469 lb)	i304/i316 610-320 kg (1344-705 lb)	P. 48 / 56 / 57 / 62
	P. 48 / 56 / 61	P. 49 / 57 / 62	






KS + SCR	KS + SRB	KSR + C-SR
 <b>GS GC i304 i316</b>	 <b>GS GC</b>	 <b>GS GC i304 i316</b>
260-74 kg (573-163 lb)	180-70 kg (396-154 lb)	195-110 kg (429-242 lb)
P. 51	P. 51	P. 52



C-SHOT	C-SVO + VR8
 <b>GS GC i304 i316</b>	 <b>GS GC i304 i316</b>
GS/GC 100-45 kg (220-99 lb)	
i304/i316 75-24 kg (165-52 lb)	250-87 kg (552-192 lb)
P. 54	P. 16 / 54 / 60 / 90



SV	PBF
 <b>GS GC i304 i316</b>	 <b>GS GC i304 i316</b>
276-207 kg (608-456 lb)	250 kg (551 lb)
P. 60 / 166	P. 60 / 90



**18 + SHV**



**GC**

200 kg (441 lb)  
P. 50



**C-SHO400+C-SHO**



**GS GC i304 i316**

80-39 kg (177-86 lb)  
P. 45 / 54

**SUL+SCR/SRB**



**GS GC**


315-106 kg (695-234 lb)  
P. 55

**SU/SUR + SCR/SRB/SHL/SHR**



**GS GC**

431-160 kg (951-353 lb) / 705-310 kg (1555-684 lb)  
P. 55 / 61



**SZ+SCR/SRB**



**GC**

429-167 kg (946-369 lb)  
P. 58 / 61

**SP3S + SHST**



**GS GC**


328-98 kg (723-216 lb)  
P. 56

**SP4+SP4/SHL**



**EZ GC i304 i316**

470-170 kg (1037-375 lb)  
P. 46 / 48



**SP4D+SP4/SHR**



**GC i304 i316**

837-313 kg (1846-691 lb)  
P. 47 / 49

C-PC / PC

GS GC  
i304 i316



GS GC  
i304 i316



GS GC  
i304 i316



GS GC  
i304 i316



P. 63 / 64

P41-3S 41X41 - SBL41



P. 65 / 66

18

GC



GC



P. 47 / 55 / 67 / 68

41/82





GC



GC







GC



**SWL kg(lb)**

	Image	Code	B mm (inch)										
			50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")	1000 (40")
C-SHO		3 6	-	105 (231)	100 (220)	81 (178)	45 (99)	27 (59)	-	-	-	-	-
		9A 9B	-	85 (187)	69 (152)	45 (99)	35 (77)	22 (48)	-	-	-	-	-
SCR		3 6	104 (229)	104 (229)	80 (176)	70 (154)	85 (187)	80 (176)	105 (231)	90 (198)	-	-	-
		9A 9B	115 (253)	115 (253)	90 (198)	70 (154)	50 (110)	40 (88)	50 (110)	45 (99)	-	-	-
SRB-N		3	-	160 (352)	165 (363)	140 (308)	135 (397)	120 (264)	115 (253)	97 (213)	-	-	-
SRB		3 6	-	80 (176)	80 (176)	70 (154)	85 (187)	75 (165)	95 (209)	70 (154)	-	-	-
SHL		6 9C 9D	-	205 (450)	165 (363)	165 (363)	315 (694)	340 (749)	350 (771)	305 (672)	-	-	-
SHR		6 9C 9D	-	-	-	-	395 (870)	370 (815)	360 (793)	310 (683)	280 (317)	240 (529)	-
SP2		3 6	-	218 (480)	168 (370)	131 (288)	93 (205)	73 (160)	-	-	-	-	-
SP2D		6	-	-	-	325 (717)	265 (591)	230 (508)	-	-	-	-	-
SP4		3 6	-	557 (1227)	417 (919)	334 (736)	315 (694)	245 (540)	238 (524)	201 (443)	-	-	-
		9C 9D	-	525 (1157)	444 (979)	342 (754)	292 (643)	250 (551)	231 (509)	213 (469)	-	-	-
SP4D		6	-	-	-	-	500 (1103)	500 (1103)	500 (1103)	430 (948)	370 (816)	320 (706)	260 (574)
		9C 9D	-	-	-	-	-	610 (1344)	610 (1344)	520 (1146)	450 (992)	390 (859)	320 (705)
SP4+R450		6	-	-	-	-	-	724 (1597)	592 (1306)	501 (1105)	434 (957)	383 (845)	310 (684)
SP4D+R450		6	-	-	-	-	-	-	1123 (2476)	950 (2095)	823 (1815)	726 (1601)	588 (1297)
SHST		3	-	160 (352)	160 (352)	146 (321)	157 (346)	124 (273)	111 (244)	106 (233)	-	-	-

SWL kg(lb) 

		B mm (inch)										
		50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")	1000 (40")
C-PC+SRB-N	 <b>6</b>	-	160 (325)	165 (363)	140 (308)	135 (397)	120 (264)	115 (253)	97 (213)	-	-	-
I8+SHV	 <b>6</b>	-	-	-	-	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	-
KS+SCR	 <b>3 6</b>	-	260 (573)	240 (539)	195 (429)	120 (264)	74 (163)	145 (319)	105 (231)	-	-	-
KS+SRB		-	180 (396)	170 (374)	135 (297)	85 (187)	50 (110)	95 (209)	70 (154)	-	-	-
KSR+C-SR	 <b>3 6 9A 9B</b>	-	-	-	195 (429)	85 (187)	175 (385)	135 (297)	110 (242)	-	-	-

**C-SHO**





C-SHO



PSHO




	B		e	SWL		GS	GC	e		SWL		i304	i316
	mm	inch		mm	kg	lb	REF	REF	mm	kg	lb	REF	REF
C-SHO100	100	4"	1,5	105	231	207230	207239	1,5	85	187	207490	217824	
C-SHO150	150	6"	2	100	220	207231	207240	1,5	69	152	207491	218415	
C-SHO200	200	8"	2	81	178	207232	207241	1,5	45	99	207492	217825	
C-SHO300	300	12"	2	45	99	207233	207242	1,5	35	77	207493	217826	
C-SHO400	400	16"	2	27	59	207234	207243	1,5	22	48	207494	218416	
PSHO	-	-	2	-	-	206240	206318	2	-	-	218139	218479	



C-SHO


TFSO(200894)



B1(204356-EZ / 206826-GC / 204925-i304)



TFSO




PSHO


**SCR**



	B		e	SWL		GS	GC	e		SWL		i304	i316
	mm	inch		mm	kg	lb	REF	REF	mm	kg	lb	REF	REF
SCR 50	50	2"	1,5	104	229	200975	203450	1,5	115	253	200994	218433	
SCR 100	100	4"	1,5	104	229	200976	200980	1,5	115	253	200995	217829	
SCR 150	150	6"	1,5	80	176	200977	200981	1,5	90	198	200996	218434	
SCR 200	200	8"	1,5	70	154	200978	200982	1,5	70	154	204691	218435	
SCR 300	300	12"	2	85	187	200997	201002	1,5	50	110	201020	218436	
SCR 400	400	16"	2	80	176	200998	201003	1,5	40	88	201021	218437	
SCR 500	500	20"	2	105	231	200999	201004	1,5	50	110	204464	218438	
SCR 600	600	24"	2	90	198	201000	201005	1,5	45	99	201022	218439	
SCR 750	750	30"	2	60	132	203438	201006	☎	-	-	☎	☎	



SCR 50/100/200/300/400



SCR 500/600/750


B1 ( 204356-EZ / 206826-GC / 204925-i304 / 218388-i316)

CTBF ( 204362-EZ / 207132-GC / 204923-i304 / 208229-i316)


**SRB**



	e	B		e	SWL		GS	GC
		mm	inch		mm	kg	lb	REF
SRB 100	2	100	4"	1,5	80	176	206372	206379
SRB 150	2	150	6"	1,5	80	176	206373	206380
SRB 200	3	200	8"	1,5	70	154	206374	206381
SRB 300	4	300	12"	2	85	187	206375	206382
SRB 400	4	400	16"	2	75	165	206376	206383
SRB 500	4	500	20"	2	95	209	206377	206384
SRB 600	4	600	24"	2	70	154	206378	206385



SRB 100/150/200/300/400



SRB 500/600




**SRB-N**

N




	B		e	SWL		GS
	mm	inch	mm	kg	lb	REF
SRB-N 100	100	4"	1,5	160	352	224371
SRB-N 150	150	6"	1,5	165	363	224372
SRB-N 200	200	8"	1,5	140	308	224373
SRB-N 300	300	12"	2	135	397	224374
SRB-N 400	400	16"	2	120	264	224375
SRB-N 500	500	20"	2	115	253	223762
SRB-N 600	600	24"	2	97	213	223763




**SHL**




	B		e	ep	H		SWL		GC
	mm	inch	mm	mm	mm	inch	kg	lb	REF
SHL 100	100	4"	1,5	4	47	1 6/7"	205	451	206866
SHL 150	150	6"	1,5	4	53	2"	165	363	206867
SHL 200	200	8"	1,5	4	58	2 2/7"	165	363	206868
SHL 300	300	12"	1,5	6	68	2 2/3"	315	694	206869
SHL 400	400	16"	1,5	6	79	3 1/9"	340	749	206870
SHL 500	500	20"	2	6	89	3 1/2"	350	771	206871
SHL 600	600	24"	2	6	100	4"	305	672	206872



SHL 100/150/200




SHL 300/400/500/600




**SHL**




	B		e	ep	H		SWL		i304	i316
	mm	inch	mm	mm	mm	inch	kg	lb	REF	REF
SHL 100	100	4"	1,5	4	47	1 6/7"	205	451	217141	218449
SHL 150	150	6"	1,5	4	53	2"	165	363	217142	218450
SHL 200	200	8"	1,5	4	58	2 2/7"	165	363	217143	218451
SHL 300	300	12"	1,5	5	68	2 2/3"	315	694	217144	218452
SHL 400	400	16"	1,5	5	79	3 1/9"	340	749	217145	218453
SHL 500	500	20"	2	5	89	3 1/2"	350	771	217146	218454
SHL 600	600	24"	2	5	100	4"	305	672	217147	218455



SHL 100/200



SHL 300/600






SHR



	B		e	ep	H		SWL		GC
	mm	inch	mm	mm	mm	inch	kg	lb	REF
SHR 300	300	12"	2,5	6	68	2 2/3"	395	870	205525
SHR 400	400	16"	2,5	6	79	3 1/9"	370	815	201023
SHR 500	500	20"	2,5	6	89	3 1/2"	360	793	201024
SHR 600	600	24"	2,5	6	100	4"	310	683	201025
SHR 700	700	28"	2,5	6	110	4 1/3"	280	617	201026
SHR 800	800	32"	2,5	6	120	4 5/7"	240	529	201027




- B1 ( 204356-EZ / 206826-GC )
- CTBF ( 204362-EZ / 207132-GC )
- BFE ( 200863-GC ) + B2 ( 206792-GC )

SHR



	B		e	ep	H		SWL		i304	i316
	mm	inch	mm	mm	mm	inch	kg	lb	REF	REF
SHR 300	300	12"	2,5	5	68	2 2/3"	395	870	218122	218456
SHR 400	400	16"	2,5	5	79	3 1/9"	370	815	218123	218457
SHR 500	500	20"	2,5	5	89	3 1/2"	360	793	218124	218458
SHR 600	600	24"	2,5	5	100	4"	310	683	218125	218459
SHR 700	700	28"	2,5	5	110	4 1/3"	280	617	218126	218460
SHR 800	800	32"	2,5	5	120	4 5/7"	240	529	218127	218461




- B1 ( 204925 i304 // 218388 i316 )
- CTBF ( 204923 i304 // 208229 i316 )
- BFE ( 203293 i304 // 218530 i316 ) + B2 ( 205392 i304 // 218443 i316 )

SP2



	B		e	ep	SWL		EZ	GC
	mm	inch	mm	mm	kg	lb	REF	REF
SP2 100	100	4"	1,5	4	218	480	225369	208778
SP2 150	150	6"	1,5	4	168	370	225370	225367
SP2 200	200	8"	1,5	4	131	288	225371	208779
SP2 300	300	12"	1,5	4	93	205	225372	208780
SP2 400	400	16"	1,5	4	73	160	225373	225373




- B1 (204356-EZ / 206826-GC) + DIN9021 M6 (207023-EZ / 207022-i304)
- CFBFR41 (210284)
- DIN933 M8x20 ( 217546-i304 ) + TAD M8 ( 217558-EZ ) + BFE ( 200863-GC ) + DIN125 M8 ( 217541-EZ / 217544-i304 )
- DIN933 M10x20 ( 218578-i304 ) + TAD M10 ( 218742-i316 ) + BFE ( 200864-GC / 218531-i304 / 218532-i316 ) + DIN125 M10 ( 217541-EZ / 217542-i304 / 218741-i316 )

SP2D



	B		e	ep	SWL		GC
	mm	inch	mm	mm	kg	lb	REF
SP2D 200	200	8"	2	4	325	717	208781
SP2D 300	300	12"	2	4	265	591	208782
SP2D 400	400	16"	2	4	230	508	208783




- CFBFR41 (210284)
- DIN933 M8x20 ( 217546-i304 ) + TAD M8 ( 217558-EZ ) + BFE ( 200863-GC ) + DIN125 M8 ( 217541-EZ / 217544-i304 )
- DIN933 M10x20 ( 218578-i304 ) + TAD M10 ( 218742-i316 ) + BFE ( 200864-GC / 218531-i304 / 218532-i316 ) + DIN125 M10 ( 217541-EZ / 217542-i304 / 218741-i316 )


SP4



	B		ep	SWL SP4		SWL SP4+REF		EZ	GC	e	SWL SP4 i		i304	i316
	mm	inch		kg	lb	kg	lb				mm	kg		
SP4 100	100	4"	4	557	1227	-	-	225374	206495	2	525	1157	218128	218462
SP4 150	150	6"	4	417	919	-	-	206829	204939	2	444	978	218129	218463
SP4 200	200	8"	4	334	736	-	-	206830	204733	2	342	753	218130	218464
SP4 300	300	12"	4	315	694	-	-	206831	204734	2	292	643	218131	218465
SP4 400	400	16"	4	245	540	-	-	206832	201036	2	250	551	218132	218466
SP4 500	500	20"	6	238	524	592	1306	206833	201037	2	231	509	218666	218668
SP4 600	600	24"	6	201	443	501	1105	206834	204938	2	213	469	218667	218669
SP4 800	800	32"	6	-	-	383	845	-	201038	2	-	-		
SP4 1000	1000	40"	6	-	-	310	684	-	205086	2	-	-		
R450	450	18"	8	-	-	-	-	-	207325	-	-	-		



SP4



R450

- ISO7380-2 M6x25 (217582-EZ / 217601-i304 / 218634-i316) + TM41 M6 (217556-EZ / 208225-GC / 218593-i316)
- ISO7380-2 M6x25 (217582-EZ / 217601-i304 / 218634-i316) + TM41 M6 (217556-EZ / 208225-GC / 218593-i316)
- DIN933 M10x30 (217547-i304 / 217600-i316) + BFE M10 (200864-GC / 218531-i304 / 218532-i316) + TM41 M10 (217584-GC / 218525-i304 / 217612-i316)+ DIN125 M10 (217561-EZ / 217542-i304 / 218741-i316)




TF41


SP4D



	B		e	ep	SWL SP4D		SWL SP4D+R		GC	e	SWL SP4D i		i304	i316
	mm	inch			kg	lb	kg	lb			mm	kg		
SP4D 300	300	12"	2,5	8	500	1103	-	-	206251	2	-	-		
SP4D 400	400	16"	2,5	8	500	1103	-	-	206250	2	610	1344	218133	218467
SP4D 500	500	20"	2,5	8	500	1103	1123	2476	206272	2	610	1344	218134	218468
SP4D 600	600	24"	2,5	8	430	948	950	2095	205621	2	520	1146	218135	218469
SP4D 700	700	28"	2,5	8	370	816	823	1815	206273	2	450	992	218136	218470
SP4D 800	800	32"	2,5	8	320	706	726	1601	206274	2	390	859	218137	218471
SP4D 1000	1000	40"	2,5	8	260	574	588	1297	204641	2	320	705	218138	218472
R450	450	18"	-	8	-	-	-	-	207325	-	-	-		



SP4D



R450

- ISO7380-2 M6x25 (217582-EZ / 217601-i304 / 218634-i316) + TM41 M6 (217556-EZ / 208225-GC / 218593-i316)
- CFBFR41 (210284-i301 / 218567-i316) / ISO7380-2 M8x30 (218823-i304) + SSC (202064-EZ / 200363-GC / 200373-i304 / 218553-i316) + TM41 M8 (217557-EZ / 217583-GC / 218524-i304 / 217611-i316)
- DIN933 M10x30 (217547-i304 / 217600-i316) + BFE M10 (200864-GC / 218531-i304 / 218532-i316) + TM41 M10 (217584-GC / 218525-i304 / 217612-i316)+ DIN125 M10 (217561-EZ / 217542-i304 / 218741-i316)




TF41

SVP




SVP+SP4

		e	L		Mmax	GC
		mm	mm	kg	kg/m	REF
SVP 500	2	2	500	20"	40,9	203633
SVP 700	3	2	700	28"	40,9	205953
SVP 800	3	2	800	32"	40,9	204958
SVP 1000	3	2	1000	40"	40,9	206340



SHL/SHR/SP4/SP4D + DIN933 M10x30 ( 217547-i304 / 217600-i316) + TM41 M10 ( 217584-GC / 218525-i304 / 217612-i316))



I8 + SHV + BI8



SHV



BI8

	L		B	BRDP	e	ep	H		SWL		GC
	mm	inch	mm	n	mm	mm	mm	inch	kg	lb	REF
I8 600	600	24"	3	-	-	-	-	-	-	-	206345
I8 1000	1000	40"	3	-	-	-	-	-	-	-	206346
I8 1300	1300	51"	4	-	-	-	-	-	-	-	206347
I8 1500	1500	59"	5	-	-	-	-	-	-	-	206348
I8 2000	2000	78"	6	-	-	-	-	-	-	-	206349
I8 3000	3000	118"	8	-	-	-	-	-	-	-	206350
SHV 200	200	8"	-	2,5	3	58	2207	270	595		206058
SHV 300	300	12"	-	2,5	3	68	2203	270	595		206271
SHV 400	400	16"	-	2,5	3	79	31/9	270	595		206259
SHV 500	500	20"	-	2,5	3	89	31/2	230	507		206057
SHV 600	600	24"	-	2,5	3	100	4	230	507		206275
SHV 700	700	28"	-	2,5	3	110	41/3	200	440		206276
SHV 800	800	32"	-	2,5	3	120	45/7	200	440		206277
BI8	-	-	-	-	-	-	-	-	-	-	206342



SHV + 2/100 x CTI M10x30 ( 206320-i304) + 2 x DIN125 M10 ( 217542-i304 / 218741-i316)




2 x B1 ( 204356-EZ / 206826-GC)




2 x CTBF ( 204362-EZ / 207132-GC)




2 x (BFE (200863-GC) + 2 x B2 (206792-GC))



SHV



I8



BI8




## KS + SCR/SRB



KS

	H		GS	GC	i304	i316
	mm	inch	REF	REF	REF	REF
KS 50_400	76	3"	207211	207215	210049	218407
KS 500_750	94	3 5/7"	206289	205881	218077	218408

SCR / SRB + 2100 B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316)



KS + SCR



KS + SRB

## KSR + C-SR



KSR+C-SR




KSR

	B		e	H		A		SWL KSR+C-SR		GS	GC	i304	i316
	mm	inch	mm	kg	lb	kg	lb	kg	lb	REF	REF	REF	REF
C-SR 100	100	4"	1,5	67	2 2/3"	30	11/6"	285	628	218543	218545	217815	218541
C-SR 150	150	6"	1,5	67	2 2/3"	30	11/6"	215	473	218544	218546	217816	218542
C-SR 200	200	8"	1,5	67	2 2/3"	30	11/6"	195	429	207264	203460	217817	218409
C-SR 300	300	12"	1,5	67	2 2/3"	30	11/6"	85	187	207265	201032	217818	218410
C-SR 400	400	16"	1,5	100	4"	60	2 3/8"	175	385	207266	201033	217819	218411
C-SR 500	500	20"	1,5	100	4"	60	2 3/8"	135	297	207267	201034	217820	218412
C-SR 600	600	24"	1,5	100	4"	60	2 3/8"	110	220	207268	201035	217821	218413
KSR	-	-	2	-	-	-	-	-	-	-	206828	218078	218414

KSR → 4/100 B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316) // 1 x CT2 M8X75 ( 206793-EZ / 214307-i304) + 2/100 x B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316)




B1 ( 204356-EZ / 206826-GC / 204925-i304 / 218388-i316)



C-SR


KSR

## SHST



SP3S + SHST

	L		e	SWL		GS
	mm	inch	mm	kg	lb	REF
SHST 100	100	4"	1,5	160	352	214489
SHST 150	150	6"	1,5	160	352	214490
SHST 200	200	8"	1,5	146	321	214491
SHST 300	300	12"	2	157	346	214492
SHST 400	400	16"	2	124	273	214493
SHST 500	500	20"	2	111	244	214494
SHST 600	600	24"	2	106	233	214495




B1 ( 204356-EZ / 206826-GC )


## B1




	L		EZ	GC	i304	i316
	mm	N-m	REF.	REF.	REF.	REF.
B1-100	14	6	204356	206826	-	-
B1-100	20	6	-	-	204925	218388



## B2



	Pap	EZ	GC	i304	i316
	N-m	REF.	REF.	REF.	REF.
B2-100	15	204926	206792	205392	218443



**SWL kg (lb)**



B mm (inch)

		50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")	1000 (40")
C-SHOT	 <b>3 6</b>	-	100 (220)	100 (220)	85 (187)	45 (99)	-	-	-	-	-	-
	<b>9A 9B</b>	-	75 (165)	48 (105)	42 (92)	24 (52)	-	-	-	-	-	-
C-SVO + 2 VR8	 <b>3 6 9A 9B</b>	-	250 (552)	200 (441)	294 (649)	235 (519)	161 (355)	115 (254)	87 (192)	-	-	-
C-SHO 400	 <b>3 6</b>	-	43 (94)	36 (79)	34 (74)	24 (52)	19 (41)	-	-	-	-	-
	<b>9A 9B</b>	-	36 (79)	30 (66)	25 (55)	19 (41)	16 (35)	-	-	-	-	-
C-SHO 400 + C-SHO 100	 <b>3 6</b>	-	71 (156)	59 (130)	50 (110)	39 (85)	-	-	-	-	-	-
	<b>9A 9B</b>	-	60 (132)	50 (110)	42 (92)	33 (72)	-	-	-	-	-	-
SUL	 <b>6</b>	315 (695)	267 (589)	232 (512)	205 (452)	166 (366)	140 (309)	121 (267)	106 (234)	-	-	-
SZ	 <b>7</b>	429 (946)	375 (827)	333 (735)	300 (662)	250 (552)	214 (472)	188 (415)	167 (369)	-	-	-
SU	 <b>6 9C 9D</b>	431 (951)	431 (951)	368 (812)	321 (708)	255 (563)	212 (468)	182 (402)	160 (353)	-	-	-
SUR	 <b>6 9C 9D</b>	-	-	-	705 (1555)	582 (1284)	495 (1092)	431 (951)	382 (843)	342 (754)	310 (684)	-
SU + R450	 <b>6</b>	-	-	-	489 (1079)	349 (770)	272 (600)	222 (490)	188 (415)	163 (360)	144 (318)	-
SUR + R450	 <b>7</b>	-	-	-	813 (1793)	670 (1478)	570 (1257)	495 (1092)	438 (966)	393 (867)	356 (785)	300 (662)
SP3S	 <b>3 6</b>	-	377 (831)	301 (663)	250 (551)	187 (412)	149 (328)	124 (273)	106 (233)	-	-	-
SP4	 <b>3 6 9C 9D</b>	470 (1037)	470 (1037)	400 (882)	347 (766)	275 (607)	228 (503)	195 (430)	170 (375)	-	-	-
SP4 + R450	 <b>6</b>	-	-	-	-	486 (1072)	378 (834)	309 (682)	262 (578)	227 (501)	200 (441)	162 (358)
SP4D	 <b>6</b>	837 (1846)	837 (1846)	748 (1650)	675 (1489)	566 (1248)	487 (1074)	428 (944)	381 (840)	344 (759)	313 (691)	-
	<b>9C 9D</b>	875 (1929)	875 (1929)	783 (1726)	708 (1560)	594 (1309)	512 (1128)	450 (992)	401 (884)	362 (798)	329 (725)	-
SP4D + R450	 <b>6</b>	-	-	-	-	810 (1786)	630 (1389)	515 (1136)	436 (962)	378 (834)	333 (735)	270 (596)

### C-SHOT



C-SHOT



PSHO



	B		SWL		e	GS	GC	e	i304	i316
	mm	inch	kg	lb	mm	REF	REF	mm	REF	REF
C-SHOT 100	100	4"	105	232	1,5	207235	207244	1,5	207495	218417
C-SHOT 150	150	6"	75	166	2	207236	207245	1,5	207496	218418
C-SHOT 200	200	8"	70	155	2	207237	207246	1,5	207497	218419
C-SHOT 300	300	12"	37	82	2	207238	207247	1,5	207498	218420
PSHO	-	-	-	-	2	206240	206318	2	218139	218479


1 PSHO ( 206240-GS / 206318-GC / 218139-I304 / 218479-I316)




B1 ( 204356-EZ / 206826-GC / 204925-I304 / 218388-I316)



TFSSO



C-SHOT



PSHO

### C-SVO



TFSSO


	B		e	SWL		GS	GC	e	i304	i316
	mm	inch	mm	kg	lb	REF	REF	mm	REF	REF
C-SVO 100	100	4"	1,5	250	552	203630	206280	1,5	206285	218421
C-SVO 150	150	6"	1,5	200	441	201073	201078	1,5	201087	218422
C-SVO 200	200	8"	2	294	649	201074	201079	1,5	201088	218423
C-SVO 300	300	12"	2	235	519	201076	201081	1,5	201090	218424
C-SVO 400	400	16"	2	161	355	203629	205719	1,5	206286	218425
C-SVO 450	450	18"	2	115	254	201075	-	-	-	-
C-SVO 500	500	20"	2	115	254	201077	201082	1,5	206287	218426
C-SVO 600	600	24"	2	87	192	205941	205720	1,5	206288	218427

TFSSO (200894)

2 x DIN976 M8x1000 ( 203397-EZ / 206852-I304 ) +  
4 x DIN6923 M8 ( 217553-EZ / 217555-I304 )



B1 ( 204356-EZ / 206826-GC / 204925-I304 / 218388-I316)



### C-SHO



C-SHO 400



PSHO

	L	e	Fmáx	Mmáx	Cd	GS	GC	Fmáx	Mmáx	Cd	i304	i316	
	mm	inch	mm	kg	kg-m	mm/kg-m	REF	REF	kg	kg-m	mm/kg-m	REF	REF
C-SHO 400	400	16"	2	200	5,4	3,05	207234	207243	185	4,4	5,8	207494	218416
C-SHO 400+C-SHO 100	400	16"	2	341	8,8	2,35	-	-	318	7,3	3,5	-	-
PSHO	-	-	2	-	-	-	206240	206318	-	-	-	218139	218479





C-SHO 400 + C-SHO 100

C-SHO 100 ( 207230-GS / 207249-GC / 207490-I304 / 218424-I316 ) + CT2 M8x55 ( 210088-EZ )




C-SHO 400 + C-SHO 200

C-SHO + DIN933 ( 217545-EZ ) + DIN6923 M8 ( 217553-EZ / 217555-I304 / 218679-I316 )



C-SHO



PSHO

## SUL




SUL+SCR

	L		e	ep	Fmáx	Mmáx	GC
	mm	inch	mm	mm	kg	kg-m	REF
SUL 210	210	8 1/4"	2	4	383	34,44	204518
SUL 300	300	12"	2	4	383	34,44	204519
SUL 600	600	24"	2	4	383	34,44	207280


TFPC PVC (214809)

SCR/SRB/SHL/SHR + 2/100 x B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316)

C-SR + 2 x CT2 ( 214307 - i304)



TFPC



## SU




SU


	L		e	ep	Fmáx	Mmáx	Cd	GC	i304	i316
	mm	inch	mm	mm	kg	kg-m	mm/kg-m	REF	REF	REF
SU400	400	16"	2,5	6	656	51,55	0,191	207142	217148	218473
SU600	600	24"	2,5	6	656	51,55	0,287	207143	217149	218474
SU800	800	32"	2,5	6	656	51,55	0,398	207144	217150	218475

TFSU PVC ( 212114)

SCR/SRB/SHL/SHR + 2/100 x B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316)



TFSU



## SUR



SUR


	L		e	ep	Fmáx	Mmáx	Cd	GC	i304	i316
	mm	inch	mm	mm	kg	kg-m	mm/kg-m	REF	REF	REF
SUR600	600	24"	4	8	1100	145	0,08	207487	217598	218476
SUR800	800	32"	4	8	1100	145	0,131	207488	217599	218477
SUR1000	1000	40"	4	8	1100	145	0,204	207489	209881	218478

TFSUR PVC (214254)

SHL / SHR / SP4 / SP4 D+2/50xB3 (208827-GC / 212096-i304 / 215575-i316)



TFSUR





**SP3S**




SP3S



SP3S+SHST

	L		e	ep	Fmáx	Mmáx	Cd	GC	EZ
	mm	inch	mm	mm	kg	kg-m	mm/kg-m	REF	REF
SP3S 400	400	16"	2	4	800	34,5	0,195	217308	218658
SP3S 500	500	20"	2	4	800	34,5	-	217309	218659
SP3S 600	600	24"	2	6	800	34,5	0,325	217310	218660
SP3S 800	800	32"	2	6	800	34,5	0,514	217311	218661
SP3S 1000	1000	40"	2	6	800	34,5	0,811	218664	218662
SP3S 1200	1200	48"	2	6	800	34,5	-	218665	218663



TF41 PVC ( 205627)




TF41

**SP4**



SP4



SP4+SP4



TF41

	L		ep	Fmáx	Mmáx	Cd	EZ	GC	e	i304	i316
	mm	inch	mm	kg	kg-m	mm/kg-m	REF	REF	mm	REF	REF
SP4 400	400	16"	4	725	55,15	0,203	206832	201036	2	218132	218466
SP4 500	500	20"	6	725	55,15	0,265	206833	201037	2	218666	218669
SP4 600	600	24"	6	725	55,15	0,326	206834	204938	2	218667	218669
SP4 800	800	32"	6	725	55,15	0,509	206835	201038	-	-	-
SP4 1000	1000	40"	6	725	55,15	0,721	-	205086	-	-	-

TF41 PVC ( 205627)



SCR/SRB(GC)+2xTEPM10x30(217567-EZ)/  
SCR/SRB+2xTM41M8(217583-GC/218524-i304/217611-i316)  
+2xDIN933M8x30(205964-i304)+2xDIN125M8(217544-i304)  
+2x4182K(218515-GC/218758-i304)




SHL/SP/SHR+2xDIN933M10x30(217547-i304/217600-i316)  
+2xTM41M10(217584-GC/218525-i304/217612-i316)+2xDIN125M10(217542-i304/218741-i316)



SCR/SRB+2/100xB2(206792-GC/205392-i304/218443-i316)



SHL+2/50xB3(208827-GC/212096-i304/215575-i316)



## SP4D



SP4D



SP4D+SHR




TF41

	L		e	ep	Fmáx	Mmáx	Cd	GC	e	Fmáx	Mmáx	Cd	i304	i316
	mm	inch	mm	mm	kg	kg-m	mm/kg-m	REF	mm	kg	kg-m	mm/kg-m	REF	REF
SP4D 500	500	20"	2,5	8	1100	133	0,147	206272	2	1144	141	0,139	218134	218468
SP4D 600	600	24"	2,5	8	1100	133	0,179	205621	2	1144	141	0,17	218135	218469
SP4D 700	700	28"	2,5	8	1100	133	0,211	206273	2	1144	141	0,2	218136	218470
SP4D 800	800	32"	2,5	8	1100	133	0,263	206274	2	1144	141	0,249	218137	218471
SP4D 1000	1000	40"	2,5	8	1100	133	0,316	204641	2	1144	141	0,299	218138	218472
SP4D 1500	1500	59"	2,5	8	1100	133	-	204642	-	-	-	-	-	-
SP4D 2000	2000	79"	2,5	8	1100	133	-	218740	-	-	-	-	-	-

### TF41 PVC ( 205627)

SCR/SRB GC + 2 x TEP M10x30 ( 217567-EZ ) / 2 x TM41 M8 ( 217583-GC / 218524-i304 / 217611-i316 ) + 2 x DIN933 M8x30 ( 205964-i304 ) + 2 x DIN125 M8 ( 217544-i304 ) + 2 x 4182K ( 218515-GC / 218758-i304 )

SHL/SHR/SP4/SP4D + 2 x DIN933 M10x30 ( 217547-i304 ) ( 217600-i316 ) + 2 x TM41 M10 ( 217584-GC / 218525-i304 / 217612-i316 ) + 2 x DIN125 M10 ( 217542-i304 / 218741-i316 )



## R450




SP4D+R450

	L		e	GC
	mm	inch	mm	REF
R450	450	18"	8	207325

SU/SUR/SP4/SP3S/SP8 + 1/50 x B3 ( 208827-GC / 212096-i304 / 215575-i316 )

SP/SP4D + DIN933 M10x30 ( 217547-i304 ) + TM41 M10 ( 217584-GC ) + DIN125 M10 ( 217542-i304 / 218741-i316 )




**SZ**



SZ+2xSCR

	L		e	Fmáx	Mmáx	Cd	GC
	mm	inch	mm	kg	kg-m	mm/kg-m	REF
SZ 300	300	12"	3	556	54,1	0,224	201069
SZ 400	400	16"	3	556	54,1	0,259	201070
SZ 500	500	20"	3	556	54,1	0,345	201071
SZ 600	600	24"	3	556	54,1	0,483	201072

SCR/SRB/SHL + 2/100 x B2 ( 206792-GC)



**KI8 + I8**



KI8+I8



KI8





TFI8

	L		Fmáx	Mmáx	Cd	GC
	mm	inch	kg	kg-m	mm/kg-m	REF
I8 600	600	24"	1337	165	0,069	206345
I8 1000	1000	40"	1337	165	0,092	206346
I8 1300	1300	51"	1337	165	0,117	206347
I8 1500	1500	59"	1337	165	0,138	206348
I8 2000	2000	79"	1337	165	0,172	206349
I8 3000	3000	118"	1337	165	0,275	206350
KI8	-	-	-	-	-	206056

TFI8 PVC ( 206947)

SHV+I8: 2/100 x CT1 M10X30 ( 206320-i304) + 2 x DIN125 M10 ( 217542-i304 / 218741-i316)

KI8+I8: 2/100 x CT1 M10X30 ( 206320-i304) + 2 x DIN125 M10 ( 217542-i304 / 218741-i316)




**SHST**



CLICK

	L		e	SWL		GS
	mm	inch	mm	kg	lb	REF
SHST 100	100	4"	1,5	160	352	214489
SHST 150	150	6"	1,5	160	352	214490
SHST 200	200	8"	1,5	146	321	214491
SHST 300	300	12"	2	157	346	214492
SHST 400	400	16"	2	124	273	214493
SHST 500	500	20"	2	111	244	214494
SHST 600	600	24"	2	106	233	214495

B1 ( 204356-EZ)



SP3S+2xSHST



SP3S+4xSHST



1










2



3


SWL kg (lb)

	Image	B mm ( inch)						
		100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")
SV	 3 6 9A 9B	276 (609)	260 (573)	253 (558)	207 (456)	506 (1116)	460 (1014)	414 (912)
PBF	 3 6 9A 9B	250 (551) x 1	250 (551) x 1	250 (551) x 1	250 (551) x 2	250 (551) x 2	250 (551) x 2	250 (551) x 3
SFS+C-SVO	 3 6	176 (388)	176 (388)	176 (388)	176 (388)	161 (354)	115 (253)	87 (191)
SP4	 3 6	470 (1037)	400 (882)	347 (766)	275 (607)	228 (503)	195 (430)	170 (375)
SZ	 6	267 (589)	232 (512)	205 (452)	166 (366)	140 (309)	121 (267)	106 (234)
SU	 6 9A 9B	431 (951)	368 (812)	321 (708)	255 (563)	212 (468)	182 (402)	160 (353)
SP4D	 6 9A 9B	837 (1846)	748 (1650)	675 (1489)	566 (1248)	487 (1074)	428 (944)	381 (840)
		875 (1929)	783 (1726)	708 (1560)	594 (1309)	428 (1128)	450 (992)	401 (884)

## SV




	B		e	SWL		GS	GC	i304	i316
	mm	inch		kg	lb	REF	REF	REF	REF
SV 100	100	4"	1,5	276	609	201046	201050	201062	217828
SV 150	150	6"	1,5	260	573	201047	201051	201063	218428
SV 200	200	8"	1,5	253	558	201048	201052	201064	218429
SV 300	300	12"	1,5	207	456	201049	201053	201065	218430
SV 400	400	16"	1,5	506	1116	203413	203418	217822	218431
SV 500	500	20"	1,5	460	1014	203414	203419		
SV 600	600	24"	1,5	414	912	203415	203420	2017823	2018432




B1 (204356-EZ / 206826-GC / 204925-i304 / 218388-i316)  
 CTBF (204362-EZ / 207132-GC / 204923-i304 / 208229-i316)

## PBF




	e	SWL		GS	GC	i304	i316
		mm	kg	lb	REF	REF	REF
PBF	1	250	551	205590	204397	208777	218565



## SFS + C-SVO



	B		e	SWL		GS	GC	e	i304
	mm	inch		kg	lb	REF	REF		mm
C-SVO 100	100	4"	1,5	176	388	203630	206280	1,5	206285
C-SVO 150	150	6"	1,5	176	388	201073	201078	1,5	201087
C-SVO 200	200	8"	2	176	388	201074	201079	1,5	201088
C-SVO 300	300	12"	2	176	388	201076	201081	1,5	201090
C-SVO 400	400	16"	2	161	354	203629	205719	1,5	206286
C-SVO 450	450	18"	2	115	354	201075	-	-	-
C-SVO 500	500	20"	2	115	253	201077	201082	1,5	206287
C-SVO 600	600	24"	2	87	192	205941	205720	1,5	206288
SFS 70	-	-	2	-	-	225381	-	-	-
SFS 140	-	-	2	-	-	205602	-	-	-



TFSSO PE (200894)

	B		e	SWL		GS	GC	e	i304
	mm	inch		kg	lb	REF	REF		mm
C-SVO 3M	-	-	-	-	-	201101	207436	-	206415

2/100 x B1 (204356 EZ / 206826 GC / 204925-i304)

### SP4



TF41

	L		ep	Fmáx	Mmáx	Cd	EZ	GC	e	i304	i316
	mm	inch									
SP4 400	400	16"	4	725	55,15	0,203	206832	201036	2	218132	218466
SP4 500	500	20"	6	725	55,15	0,265	206833	201037	2	218666	218669
SP4 600	600	24"	6	725	55,15	0,326	206834	204938	2	218667	218669
SP4 800	800	32"	6	725	55,15	0,509	206835	201038	-	-	-
SP4 1000	1000	40"	6	725	55,15	0,721	-	205086	-	-	-


TF41 PVC ( 205627)

SCR/SRB(GG)+2xTEPM10x30(217567-EZ)/  
SCR/SRB+2xTM41M8(217583-GC/218524-i304/217611-i316)  
+2xDIN933M8x30(205964 i304)+2xDIN125M8(217544- i304)  
+2x4182K(218515-GC/218758-i304)

SHL/SP/SHR+2xDIN933M10x30(217547-i304/217600-i316)  
+2xTM41M10(217584-GC/218525-i304/217612-  
i316)+2xDIN125M10(217542-i304/218741-i316)

SCR/SRB+2/100xB2(206792-GC/205392-i304/218443-i316)

SHL+2/50xB3(208827-GC/212096-i304/215575-i316)




### SZ



	L		e	ep	Fmáx	Mmáx	Cd	GC
	mm	inch						
SZ 300	300	12"	3	3	556	54,1	0,224	201069
SZ 400	400	16"	3	3	556	54,1	0,259	201070
SZ 500	500	20"	3	3	556	54,1	0,345	201071
SZ 600	600	24"	3	3	556	54,1	0,483	201072

SCR/SRB/SHL + 2/100 x B2 ( 206792-GC)



### SU




SU



	L		e	ep	Fmáx	Mmáx	Cd	GC	i304	i316
	mm	inch								
SU 400	400	16"	2,5	6	656	51,55	0,191	207142	217148	218473
SU 600	600	24"	2,5	6	656	51,55	0,287	207143	217149	218474
SU 800	800	32"	2,5	6	656	51,55	0,398	207144	217150	218475

TFSU PVC ( 212114)

SCR/SRB/SHL/SHR + 2/100 x B2 ( 204926-EZ / 206792-GC /  
205392-i304 / 218443-i316)



TFSU




# SP4D




TF41

	L		e	ep	Fmáx	Mmáx	Cd	GC	e	Fmáx	Mmáx	Cd	i304	i316
	mm	inch	mm	mm	kg	kg-m	mm/kg-m	REF	mm	kg	kg-m	mm/kg-m	REF	REF
SP4D 500	500	20"	2,5	8	1100	133	0,147	206272	2	1144	141	0,139	218134	218468
SP4D 600	600	24"	2,5	8	1100	133	0,179	205621	2	1144	141	0,17	218135	218469
SP4D 700	700	28"	2,5	8	1100	133	0,211	206273	2	1144	141	0,2	218136	218470
SP4D 800	800	32"	2,5	8	1100	133	0,263	206274	2	1144	141	0,249	218137	218471
SP4D 1000	1000	40"	2,5	8	1100	133	0,316	204641	2	1144	141	0,299	218138	218472
SP4D 1500	1500	60"	2,5	8	1100	133	-	204642	-	-	-	-	-	-
SP4D 2000	2000	80"	2,5	8	1100	133	-	218740	-	-	-	-	-	-


**TF41 PVC ( 205627)**

-  SCR/SRB (€€) + 2 x TEP M10x30 ( 217567-EZ)
-  SCR/SRB + 2 x TM41 M8 ( 217583-GC / 218524-i304 / 217611-i316) + 2 x DIN933 M8x30 (205964-i304) + 2 x DIN125 M8 ( 217544-i304) + 2 x 4182K ( 218515-GC / 218758-i304)
-  SHL/SHR/SP4/SP4D + 2 x DIN933 M10x30 ( 217547-i304) + 2 x TM41 M10 ( 217584-GC / 218525-i304 / 217612-i316) + 2 x DIN933 M8x30 ( 217600-i316) + 2 x DIN125 M10 ( 217542-i304 / 218741-i316)








SWL kg (lb)

	B mm (inch)									
	50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")
 C-PC+C-SR GS i304 i316	-	-	-	102 (225)	90 (198)	159 (351)	134 (295)	117 (258)	-	-
 PC+C-SR GC	-	-	-	250 (551)	250 (551)	250 (551)	200 (441)	175 (386)	-	-
 BI8+I8+SHV GC	-	-	-	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)
 KCT30+CT30 (SCR/SRB) GS GC	235 (518)	186 (410)	154 (340)	131 (289)	101 (223)	82 (181)	69 (152)	60 (132)	-	-
 KLPC+C-PC (SCR/SRB) GS	183 (404)	153 (337)	132 (291)	115 (254)	93 (205)	77 (170)	66 (146)	58 (128)	-	-
 KPC+C-PC (C-SR) GS i304 i316	191 (421)	156 (344)	132 (291)	114 (251)	90 (198)	74 (163)	63 (139)	55 (121)	-	-
 KPC+2 x C-PC (C-SR) GS i304 i316	260 (573)	221 (487)	192 (423)	170 (375)	138 (304)	117 (258)	101 (223)	89 (196)	-	-
 KAPC+PC (C-SR) GC	144 (318)	127 (280)	113 (249)	102 (225)	85 (187)	73 (161)	64 (141)	57 (126)	-	-
 KI8+I8 (SHV) GC	-	-	-	832 (1835)	700 (1544)	604 (1332)	531 (1171)	474 (1045)	428 (944)	390 (881)



SWL kg (lb)

	B mm (inch)									
	50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")
 <p>KLPC+C-PC (SCR/SRB) <b>GS</b></p>	172 (379)	142 (313)	121 (267)	105 (232)	83 (183)	69 (152)	59 (130)	51 (112)	-	-
 <p>KAPC+PC (C-SR) <b>GC</b></p>	191 (421)	156 (344)	132 (291)	114 (251)	90 (198)	74 (163)	63 (139)	55 (121)	-	-
 <p>KA18+18 (SHV) <b>GC</b></p>	-	-	-	242 (534)	186 (410)	151 (333)	127 (280)	110 (243)	96 (212)	86 (190)

MODULAR SOLUTIONS


BasorSUPPORT

 C-PC / KPC / KLPC GS



 PC / KAPC GC



 P41-3S GS



 I8 GC



## C-PC



L = 3 m (10 ft)  
C-PC



TFPC


	B		H		L		e	GS	i304	i316
	mm	inch	mm	inch	mm	inch		REF	REF	REF
C-PC 3000	58	2 1/4"	35	1 3/8"	3000	10ft	2	207269	205701	218389

TFPC PVC (214809)

C-PC + KPC --> 2 x CT2 M8X75 (206793 - EZ / 214307 - i304) + 2 x DIN125 M8 (217544-i304)

C-PC + KLPC --> 2/100 x B2 (206792-GC / 205392-i304 / 218443-i316)

C-SR + 2 x CT2 M8X75 (206793-EZ / 214307 - i304)





C-PC

## KPC



	e	GS	i304	i316
		REF	REF	REF
KPC	2	207270	218390	218391

C-PC ---> KPC: 2 x CT2 M8X75 (206793 - EZ / 214307 - i304) + 2 x DIN125 M8 (217544-i304)





KPC

## KLPC



	e	GS	GC	e	i304	i316
		REF	REF		REF	REF
KLPC	3	206786	206787	2	201121	218392


C-PC ---> KLPC: 2/100 x B2 (204926-EZ / 206792-GC / 205392-i304 / 218443-i316)



## CT2



	EZ	i304
	REF	REF
CT2 M8X55	210088	
CT2 M8X75	206793	214307



13


## PDPC



	GS
	REF
PDPC	207281


C-PC ---> C-PC: 4 X CT2 M8X75 (206793 - EZ)

C-PC ---> KLPC : 2/100 x B2 (204926 - EZ)



PDPC

PC



L = 3 m (10 ft)




PC+TFPC

	B		H		e	GC
	mm	inch	mm	inch	mm	REF
PC 3000	58	2 1/4"	35	1 3/8"	2	200229



TFCP PVC (214809)

PC + KAPC ---> 2 x CT2 M8X75 (214307 - i304)

C-SR + 2 x CT2 M8X75 (214307 - i304)



TFCP





C-PC (GC)

KAPC



	e	GS	GC	i304	i316
	mm	REF	REF	REF	REF
KAPC	2	201116	201117	218063	218393

PC/C-PC + KAPC ---> 2 x CT2 M8X75 (206793 - EZ / 214307 - i304)





KLPC



	e	GS	GS	e	i304	i316
	mm	REF	REF	mm	REF	REF
KLPC	3	206786	206787	2	201121	218392

C-PC ---> KLPC: 2/100 x B2 (204926-EZ / 206792-GC / 205392-i304 / 218443-i316)



C-SR




C-SR



	B		e	H		A		SWL		GS	GC	i304	i316
	mm	inch	mm	kg	lb	kg	lb	kg	lb	REF	REF	REF	REF
C-SR 100	100	4"	1,5	67	2 2/3"	30	1 1/6"	102	225	218543	218545	217815	218541
C-SR 150	150	6"	1,5	67	2 2/3"	30	1 1/6"	102	225	218544	218546	217816	218542
C-SR 200	200	8"	1,5	67	2 2/3"	30	1 1/6"	102	225	207264	203460	217817	218409
C-SR 300	300	12"	1,5	67	2 2/3"	30	1 1/6"	90	198	207265	201032	217818	218410
C-SR 400	400	16"	1,5	100	4"	60	2 3/8"	159	351	207266	201033	217819	218411
C-SR 500	500	20"	1,5	100	4"	60	2 3/8"	134	295	207267	201034	217820	218412
C-SR 600	600	24"	1,5	100	4"	60	2 3/8"	117	258	207268	201035	217821	218413

C-SR ---> C-PC: 2 x CT2 M8X75 (206793-EZ / 214307 - i304)





### P41-3S 41X41





L = 3 m (10 ft)

P41-3S 41X41X2  
TF41 PVC (205627)



TF41

e	GS	GC
mm	REF	REF
2	217313	217312





### SHST





CLICK

	L		e	SWL		GS
	mm	inch		kg	lb	REF
SHST 100	100	4"	1,5	160	352	214489
SHST 150	150	6"	1,5	160	352	214490
SHST 200	200	8"	1,5	146	321	214491
SHST 300	300	12"	2	157	346	214492
SHST 400	400	16"	2	124	273	214493
SHST 500	500	20"	2	111	244	214494
SHST 600	600	24"	2	106	233	214495



B1 ( 204356-EZ )






### K41-3S




K41-3S

2 x CT2 M10X65 (218704-EZ)



EZ
REF
2118656



### SBL41-3S




SBL41-3S

2 x CT2 M10X65 (218704-EZ)



e	GS
mm	REF
4	218657




### KA41-S



KA41-3S

2/50 x B3 ( 2/208827-GC / 212096-i304 ) + DIN933 M10x65 ( 225505-EZ / 225506-i304 ) + DIN125 M10 ( 217561-EZ / 217542-i304 ) + DIN6023 M10 ( 225507-EZ / 218802-i304 )

e	GS	GC
mm	REF	REF
3	225500	225501




### KL41-S



KAL1-3S

2/50 x B3 ( 2/208827-GC / 212096-i304 )

e	GS	GC
mm	REF	REF
3	225503	225504




### CT2



CT2 M8X75  
CT2 M10X65

13 CT2 M8X75  
 17 CT2 M10X65

EZ
REF
206793
218704





## 18 3M



18 3M


	L		GC
	m	ft	REF
18 3M	3	10	206350

18 3M  
TF18 PVC (206947)

18 + K18 + 2/100 x CT1 M10X30 (206320-i304) + 2 x DIN125 M10 (217542-i304 / 218741-i316)



TF18




## K18



	GC
	REF
K18	206056

K18 + 2/100 x CT1 M10X30 (206320-i304) + 2 x DIN125 M10 (217542-i304 / 218741-i316)




## KAI8



	GC
	REF
KAI8	207052

4 x DIN933 M12x35 (218671-i304) + 4 x DIN934 M12 (217604) + 8 x DIN125 M12 (217560-i304)






## SHV



	H		B		e	ep	GC
	mm	inch	mm	inch			REF
SHV 200	58	2 2/7"	200	8"	2,5	3	206058
SHV 300	68	2 2/3"	300	12"	2,5	3	206271
SHV 400	79	3 1/9"	400	16"	2,5	3	206259
SHV 500	89	3 1/2"	500	20"	2,5	3	206057
SHV 600	100	4"	600	24"	2,5	3	206275
SHV 700	110	4 1/3"	700	28"	2,5	3	206276
SHV 800	120	4 5/7"	800	32"	2,5	3	206277




SHV → I8: 2/100 x CT1 M10X30 (206320 - i304)  
+ 2 x DIN125 M10 (217542-i304 / 218741-i316)

## BI8



GC
REF
206342




SHV → I8: 2/100 x CT1 M10X30 (206320 - i304)  
+ 2 x DIN125 M10 (217542-i304 / 218741-i316)

## CT1



EZ	i304
REF	REF
206319	206320



17



C-SHO 400 + C-SHO



SP3S+SHST



SP4+SP4



KPC+C-PC+C-SR



KLPC+C-PC+2xSCR



KAPC+C-PC+2xC-SR



SP4D+SHR



KI8+I8+SHV



BRP+P41 41x21+SP4D+SHR



SZ+SCR



SU+SCR



SU+SHL




KPC+2xC-PC+4xSRB-N



B18+I8+SHV



C-SVO+VR8



SP4+P41 41x41+4182C



SP4D+SCR



KI8+I8+SHV+TFI8



SP4D+P41 41x41+4182D



SP4D+K82+SHR



KI8+I8+SHV



PC+KAPC+C-SR

