










C-SHO	SCR	SRB
 <b>GS GC i304 i316</b>	 <b>GS GC i304 i316</b>	 <b>GS GC</b>
GS/GC 105-27 kg (231-59 lb)	GS/GC 105-70 kg (231-59 lb)	
i304/i316 85-22 kg (187-48 lb)	i304/i316 115-40 kg (253-88 lb)	95-70 kg (209-154 lb)
P. 45 / 54	P. 45 / 51	P. 45



SRB-N	SHL	SHR	SP2
 <b>GS</b>	 <b>GC i304 i316</b>	 <b>GC i304 i316</b>	 <b>EZ GC</b>
160-97 kg (352-213 lb)	350-165 kg (771 - 363 lb)	395 - 240 kg (870 - 529 lb)	218-73 kg (480-160 lb)
P. 46	P. 46	P. 47	P. 47


SP2D	SP4	SP4D	SP8
 <b>GC</b>	 <b>EZ GC i304 i316</b>	 <b>GC i304 i316</b>	 <b>GC</b>
325-230 kg (717-508 lb)	GS/GC 557-201 kg (1227-443 lb)	GC 500-260 kg (1103-574 lb)	600-305 kg (1322-672 lb)
P. 47	i304/i316 525-213 kg (1157-469 lb)	i304/i316 610-320 kg (1344-705 lb)	P. 48 / 56 / 57 / 62
	P. 48 / 56 / 61	P. 49 / 57 / 62	






KS + SCR	KS + SRB	KSR + C-SR
 <b>GS GC i304 i316</b>	 <b>GS GC</b>	 <b>GS GC i304 i316</b>
260-74 kg (573-163 lb)	180-70 kg (396-154 lb)	195-110 kg (429-242 lb)
P. 51	P. 51	P. 52



C-SHOT	C-SVO + VR8
 <b>GS GC i304 i316</b>	 <b>GS GC i304 i316</b>
GS/GC 100-45 kg (220-99 lb)	
i304/i316 75-24 kg (165-52 lb)	250-87 kg (552-192 lb)
P. 54	P. 16 / 54 / 60 / 90



SV	PBF
 <b>GS GC i304 i316</b>	 <b>GS GC i304 i316</b>
276-207 kg (608-456 lb)	250 kg (551 lb)
P. 60 / 166	P. 60 / 90



**18 + SHV**



**GC**

200 kg (441 lb)  
P. 50



**C-SHO400+C-SHO**



**GS GC i304 i316**

80-39 kg (177-86 lb)  
P. 45 / 54

**SUL+SCR/SRB**



**GS GC**


315-106 kg (695-234 lb)  
P. 55

**SU/SUR + SCR/SRB/SHL/SHR**



**GS GC**

431-160 kg (951-353 lb) / 705-310 kg (1555-684 lb)  
P. 55 / 61



**SZ+SCR/SRB**



**GC**

429-167 kg (946-369 lb)  
P. 58 / 61

**SP3S + SHST**



**GS GC**


328-98 kg (723-216 lb)  
P. 56

**SP4+SP4/SHL**



**EZ GC i304 i316**

470-170 kg (1037-375 lb)  
P. 46 / 48



**SP4D+SP4/SHR**



**GC i304 i316**

837-313 kg (1846-691 lb)  
P. 47 / 49

C-PC / PC

GS GC  
i304 i316



GS GC  
i304 i316



GS GC  
i304 i316



GS GC  
i304 i316



P. 63 / 64

P41-3S 41X41 - SBL41



P. 65 / 66

18

GC



GC



P. 47 / 55 / 67 / 68

41/82





GC




















GC








GC



**SWL kg(lb)**

	B mm (inch)	B mm (inch)										
		50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")	1000 (40")
C-SHO	 <b>3 6</b>	-	105 (231)	100 (220)	81 (178)	45 (99)	27 (59)	-	-	-	-	-
	 <b>9A 9B</b>	-	85 (187)	69 (152)	45 (99)	35 (77)	22 (48)	-	-	-	-	-
SCR	 <b>3 6</b>	104 (229)	104 (229)	80 (176)	70 (154)	85 (187)	80 (176)	105 (231)	90 (198)	-	-	-
	 <b>9A 9B</b>	115 (253)	115 (253)	90 (198)	70 (154)	50 (110)	40 (88)	50 (110)	45 (99)	-	-	-
SRB-N	 <b>3</b>	-	160 (352)	165 (363)	140 (308)	135 (397)	120 (264)	115 (253)	97 (213)	-	-	-
SRB	 <b>3 6</b>	-	80 (176)	80 (176)	70 (154)	85 (187)	75 (165)	95 (209)	70 (154)	-	-	-
SHL	 <b>6 9C 9D</b>	-	205 (450)	165 (363)	165 (363)	315 (694)	340 (749)	350 (771)	305 (672)	-	-	-
SHR	 <b>6 9C 9D</b>	-	-	-	-	395 (870)	370 (815)	360 (793)	310 (683)	280 (317)	240 (529)	-
SP2	 <b>3 6</b>	-	218 (480)	168 (370)	131 (288)	93 (205)	73 (160)	-	-	-	-	-
SP2D	 <b>6</b>	-	-	-	325 (717)	265 (591)	230 (508)	-	-	-	-	-
SP4	 <b>3 6</b>	-	557 (1227)	417 (919)	334 (736)	315 (694)	245 (540)	238 (524)	201 (443)	-	-	-
	 <b>9C 9D</b>	-	525 (1157)	444 (979)	342 (754)	292 (643)	250 (551)	231 (509)	213 (469)	-	-	-
SP4D	 <b>6</b>	-	-	-	-	500 (1103)	500 (1103)	500 (1103)	430 (948)	370 (816)	320 (706)	260 (574)
	 <b>9C 9D</b>	-	-	-	-	-	610 (1344)	610 (1344)	520 (1146)	450 (992)	390 (859)	320 (705)
SP4+R450	 <b>6</b>	-	-	-	-	-	724 (1597)	592 (1306)	501 (1105)	434 (957)	383 (845)	310 (684)
SP4D+R450	 <b>6</b>	-	-	-	-	-	-	1123 (2476)	950 (2095)	823 (1815)	726 (1601)	588 (1297)
SHST	 <b>3</b>	-	160 (352)	160 (352)	146 (321)	157 (346)	124 (273)	111 (244)	106 (233)	-	-	-

SWL kg(lb) 

		B mm (inch)										
		50 (2")	100 (4")	150 (6")	200 (8")	300 (12")	400 (16")	500 (20")	600 (24")	700 (28")	800 (32")	1000 (40")
C-PC+SRB-N	 <b>6</b>	-	160 (325)	165 (363)	140 (308)	135 (397)	120 (264)	115 (253)	97 (213)	-	-	-
I8+SHV	 <b>6</b>	-	-	-	-	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	200 (441)	-
KS+SCR	 <b>3 6</b>	-	260 (573)	240 (539)	195 (429)	120 (264)	74 (163)	145 (319)	105 (231)	-	-	-
KS+SRB		-	180 (396)	170 (374)	135 (297)	85 (187)	50 (110)	95 (209)	70 (154)	-	-	-
KSR+C-SR	 <b>3 6 9A 9B</b>	-	-	-	195 (429)	85 (187)	175 (385)	135 (297)	110 (242)	-	-	-

**C-SHO**





C-SHO



PSHO




	B		e	SWL		GS	GC	e		SWL		i304	i316
	mm	inch		mm	kg	lb	REF	REF	mm	kg	lb	REF	REF
C-SHO100	100	4"	1,5	105	231	207230	207239	1,5	85	187	207490	217824	
C-SHO150	150	6"	2	100	220	207231	207240	1,5	69	152	207491	218415	
C-SHO200	200	8"	2	81	178	207232	207241	1,5	45	99	207492	217825	
C-SHO300	300	12"	2	45	99	207233	207242	1,5	35	77	207493	217826	
C-SHO400	400	16"	2	27	59	207234	207243	1,5	22	48	207494	218416	
PSHO	-	-	2	-	-	206240	206318	2	-	-	218139	218479	




C-SHO

TFSO(200894)



B1(204356-EZ / 206826-GC / 204925-i304)

TFSO




PSHO


**SCR**



	B		e	SWL		GS	GC	e		SWL		i304	i316
	mm	inch		mm	kg	lb	REF	REF	mm	kg	lb	REF	REF
SCR 50	50	2"	1,5	104	229	200975	203450	1,5	115	253	200994	218433	
SCR 100	100	4"	1,5	104	229	200976	200980	1,5	115	253	200995	217829	
SCR 150	150	6"	1,5	80	176	200977	200981	1,5	90	198	200996	218434	
SCR 200	200	8"	1,5	70	154	200978	200982	1,5	70	154	204691	218435	
SCR 300	300	12"	2	85	187	200997	201002	1,5	50	110	201020	218436	
SCR 400	400	16"	2	80	176	200998	201003	1,5	40	88	201021	218437	
SCR 500	500	20"	2	105	231	200999	201004	1,5	50	110	204464	218438	
SCR 600	600	24"	2	90	198	201000	201005	1,5	45	99	201022	218439	
SCR 750	750	30"	2	60	132	203438	201006	☎	-	-	☎	☎	



SCR 50/100/200/300/400



SCR 500/600/750


B1 ( 204356-EZ / 206826-GC / 204925-i304 / 218388-i316)

CTBF ( 204362-EZ / 207132-GC / 204923-i304 / 208229-i316)


**SRB**



	e	B		e	SWL		GS	GC
		mm	inch		mm	kg	lb	REF
SRB 100	2	100	4"	1,5	80	176	206372	206379
SRB 150	2	150	6"	1,5	80	176	206373	206380
SRB 200	3	200	8"	1,5	70	154	206374	206381
SRB 300	4	300	12"	2	85	187	206375	206382
SRB 400	4	400	16"	2	75	165	206376	206383
SRB 500	4	500	20"	2	95	209	206377	206384
SRB 600	4	600	24"	2	70	154	206378	206385



SRB 100/150/200/300/400




SRB 500/600




**SRB-N**

N





	B		e	SWL		GS
	mm	inch	mm	kg	lb	REF
SRB-N 100	100	4"	1,5	160	352	224371
SRB-N 150	150	6"	1,5	165	363	224372
SRB-N 200	200	8"	1,5	140	308	224373
SRB-N 300	300	12"	2	135	397	224374
SRB-N 400	400	16"	2	120	264	224375
SRB-N 500	500	20"	2	115	253	223762
SRB-N 600	600	24"	2	97	213	223763



**SHL**





	B		e	ep	H		SWL		GC
	mm	inch	mm	mm	mm	inch	kg	lb	REF
SHL 100	100	4"	1,5	4	47	1 6/7"	205	451	206866
SHL 150	150	6"	1,5	4	53	2"	165	363	206867
SHL 200	200	8"	1,5	4	58	2 2/7"	165	363	206868
SHL 300	300	12"	1,5	6	68	2 2/3"	315	694	206869
SHL 400	400	16"	1,5	6	79	3 1/9"	340	749	206870
SHL 500	500	20"	2	6	89	3 1/2"	350	771	206871
SHL 600	600	24"	2	6	100	4"	305	672	206872



**SHL**




	B		e	ep	H		SWL		i304	i316
	mm	inch	mm	mm	mm	inch	kg	lb	REF	REF
SHL 100	100	4"	1,5	4	47	1 6/7"	205	451	217141	218449
SHL 150	150	6"	1,5	4	53	2"	165	363	217142	218450
SHL 200	200	8"	1,5	4	58	2 2/7"	165	363	217143	218451
SHL 300	300	12"	1,5	5	68	2 2/3"	315	694	217144	218452
SHL 400	400	16"	1,5	5	79	3 1/9"	340	749	217145	218453
SHL 500	500	20"	2	5	89	3 1/2"	350	771	217146	218454
SHL 600	600	24"	2	5	100	4"	305	672	217147	218455



SHR



	B		e	ep	H		SWL		GC
	mm	inch	mm	mm	mm	inch	kg	lb	REF
SHR 300	300	12"	2,5	6	68	2 2/3"	395	870	205525
SHR 400	400	16"	2,5	6	79	3 1/9"	370	815	201023
SHR 500	500	20"	2,5	6	89	3 1/2"	360	793	201024
SHR 600	600	24"	2,5	6	100	4"	310	683	201025
SHR 700	700	28"	2,5	6	110	4 1/3"	280	617	201026
SHR 800	800	32"	2,5	6	120	4 5/7"	240	529	201027




- B1 ( 204356-EZ / 206826-GC )
- CTBF ( 204362-EZ / 207132-GC )
- BFE ( 200863-GC ) + B2 ( 206792-GC )

SHR



	B		e	ep	H		SWL		i304	i316
	mm	inch	mm	mm	mm	inch	kg	lb	REF	REF
SHR 300	300	12"	2,5	5	68	2 2/3"	395	870	218122	218456
SHR 400	400	16"	2,5	5	79	3 1/9"	370	815	218123	218457
SHR 500	500	20"	2,5	5	89	3 1/2"	360	793	218124	218458
SHR 600	600	24"	2,5	5	100	4"	310	683	218125	218459
SHR 700	700	28"	2,5	5	110	4 1/3"	280	617	218126	218460
SHR 800	800	32"	2,5	5	120	4 5/7"	240	529	218127	218461




- B1 ( 204925 i304 // 218388 i316 )
- CTBF ( 204923 i304 // 208229 i316 )
- BFE ( 203293 i304 // 218530 i316 ) + B2 ( 205392 i304 // 218443 i316 )

SP2



	B		e	ep	SWL		EZ	GC
	mm	inch	mm	mm	kg	lb	REF	REF
SP2 100	100	4"	1,5	4	218	480	225369	208778
SP2 150	150	6"	1,5	4	168	370	225370	225367
SP2 200	200	8"	1,5	4	131	288	225371	208779
SP2 300	300	12"	1,5	4	93	205	225372	208780
SP2 400	400	16"	1,5	4	73	160	225373	225373




- B1 (204356-EZ / 206826-GC) + DIN9021 M6 (207023-EZ / 207022-i304)
- CFBFR41 (210284)
- DIN933 M8x20 ( 217546-i304 ) + TAD M8 ( 217558-EZ ) + BFE ( 200863-GC ) + DIN125 M8 ( 217541-EZ / 217544-i304 )
- DIN933 M10x20 ( 218578-i304 ) + TAD M10 ( 218742-i316 ) + BFE ( 200864-GC / 218531-i304 / 218532-i316 ) + DIN125 M10 ( 217541-EZ / 217542-i304 / 218741-i316 )

SP2D



	B		e	ep	SWL		GC
	mm	inch	mm	mm	kg	lb	REF
SP2D 200	200	8"	2	4	325	717	208781
SP2D 300	300	12"	2	4	265	591	208782
SP2D 400	400	16"	2	4	230	508	208783




- CFBFR41 (210284)
- DIN933 M8x20 ( 217546-i304 ) + TAD M8 ( 217558-EZ ) + BFE ( 200863-GC ) + DIN125 M8 ( 217541-EZ / 217544-i304 )
- DIN933 M10x20 ( 218578-i304 ) + TAD M10 ( 218742-i316 ) + BFE ( 200864-GC / 218531-i304 / 218532-i316 ) + DIN125 M10 ( 217541-EZ / 217542-i304 / 218741-i316 )




SP4



	B		ep	SWL SP4		SWL SP4+REF		EZ	GC	e	SWL SP4 i		i304	i316
	mm	inch		kg	lb	kg	lb				mm	kg		
SP4 100	100	4"	4	557	1227	-	-	225374	206495	2	525	1157	218128	218462
SP4 150	150	6"	4	417	919	-	-	206829	204939	2	444	978	218129	218463
SP4 200	200	8"	4	334	736	-	-	206830	204733	2	342	753	218130	218464
SP4 300	300	12"	4	315	694	-	-	206831	204734	2	292	643	218131	218465
SP4 400	400	16"	4	245	540	-	-	206832	201036	2	250	551	218132	218466
SP4 500	500	20"	6	238	524	592	1306	206833	201037	2	231	509	218666	218668
SP4 600	600	24"	6	201	443	501	1105	206834	204938	2	213	469	218667	218669
SP4 800	800	32"	6	-	-	383	845	-	201038	2	-	-		
SP4 1000	1000	40"	6	-	-	310	684	-	205086	2	-	-		
R450	450	18"	8	-	-	-	-	-	207325	-	-	-		



SP4



R450

- ISO7380-2 M6x25 (217582-EZ / 217601-i304 / 218634-i316) + TM41 M6 (217556-EZ / 208225-GC / 218593-i316)
- ISO7380-2 M6x25 (217582-EZ / 217601-i304 / 218634-i316) + TM41 M6 (217556-EZ / 208225-GC / 218593-i316)
- DIN933 M10x30 (217547-i304 / 217600-i316) + BFE M10 (200864-GC / 218531-i304 / 218532-i316) + TM41 M10 (217584-GC / 218525-i304 / 217612-i316)+ DIN125 M10 (217561-EZ / 217542-i304 / 218741-i316)




TF41


SP4D



	B		e	ep	SWL SP4D		SWL SP4D+R		GC	e	SWL SP4D i		i304	i316
	mm	inch			kg	lb	kg	lb			mm	kg		
SP4D 300	300	12"	2,5	8	500	1103	-	-	206251	2	-	-		
SP4D 400	400	16"	2,5	8	500	1103	-	-	206250	2	610	1344	218133	218467
SP4D 500	500	20"	2,5	8	500	1103	1123	2476	206272	2	610	1344	218134	218468
SP4D 600	600	24"	2,5	8	430	948	950	2095	205621	2	520	1146	218135	218469
SP4D 700	700	28"	2,5	8	370	816	823	1815	206273	2	450	992	218136	218470
SP4D 800	800	32"	2,5	8	320	706	726	1601	206274	2	390	859	218137	218471
SP4D 1000	1000	40"	2,5	8	260	574	588	1297	204641	2	320	705	218138	218472
R450	450	18"	-	8	-	-	-	-	207325	-	-	-		



SP4D



R450

- ISO7380-2 M6x25 (217582-EZ / 217601-i304 / 218634-i316) + TM41 M6 (217556-EZ / 208225-GC / 218593-i316)
- CFBFR41 (210284-i301 / 218567-i316) / ISO7380-2 M8x30 (218823-i304) + SSC (202064-EZ / 200363-GC / 200373-i304 / 218553-i316) + TM41 M8 (217557-EZ / 217583-GC / 218524-i304 / 217611-i316)
- DIN933 M10x30 (217547-i304 / 217600-i316) + BFE M10 (200864-GC / 218531-i304 / 218532-i316) + TM41 M10 (217584-GC / 218525-i304 / 217612-i316)+ DIN125 M10 (217561-EZ / 217542-i304 / 218741-i316)




TF41

SVP




SVP+SP4

		e	L		Mmax	GC
		mm	mm	kg	kg/m	REF
SVP 500	2	2	500	20"	40,9	203633
SVP 700	3	2	700	28"	40,9	205953
SVP 800	3	2	800	32"	40,9	204958
SVP 1000	3	2	1000	40"	40,9	206340



SHL/SHR/SP4/SP4D + DIN933 M10x30 ( 217547-i304 / 217600-i316) + TM41 M10 ( 217584-GC / 218525-i304 / 217612-i316))



I8 + SHV + BI8



SHV



BI8

	L		B	BRDP	e	ep	H		SWL		GC
	mm	inch	mm	n	mm	mm	mm	inch	kg	lb	REF
I8 600	600	24"	3	-	-	-	-	-	-	-	206345
I8 1000	1000	40"	3	-	-	-	-	-	-	-	206346
I8 1300	1300	51"	4	-	-	-	-	-	-	-	206347
I8 1500	1500	59"	5	-	-	-	-	-	-	-	206348
I8 2000	2000	78"	6	-	-	-	-	-	-	-	206349
I8 3000	3000	118"	8	-	-	-	-	-	-	-	206350
SHV 200	200	8"	-	2,5	3	58	2207	270	595		206058
SHV 300	300	12"	-	2,5	3	68	2203	270	595		206271
SHV 400	400	16"	-	2,5	3	79	31/9	270	595		206259
SHV 500	500	20"	-	2,5	3	89	31/2	230	507		206057
SHV 600	600	24"	-	2,5	3	100	4	230	507		206275
SHV 700	700	28"	-	2,5	3	110	41/3	200	440		206276
SHV 800	800	32"	-	2,5	3	120	45/7	200	440		206277
BI8	-	-	-	-	-	-	-	-	-	-	206342



SHV + 2/100 x CTI M10x30 ( 206320-i304) + 2 x DIN125 M10 ( 217542-i304 / 218741-i316)




2 x B1 ( 204356-EZ / 206826-GC)




2 x CTBF ( 204362-EZ / 207132-GC)




2 x (BFE (200863-GC) + 2 x B2 (206792-GC))



SHV



I8



BI8




## KS + SCR/SRB



KS

	H		GS	GC	i304	i316
	mm	inch	REF	REF	REF	REF
KS 50_400	76	3"	207211	207215	210049	218407
KS 500_750	94	3 5/7"	206289	205881	218077	218408

SCR / SRB + 2100 B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316)



KS + SCR



KS + SRB

## KSR + C-SR



KSR+C-SR




KSR

	B		e	H		A		SWL KSR+C-SR		GS	GC	i304	i316
	mm	inch	mm	kg	lb	kg	lb	kg	lb	REF	REF	REF	REF
C-SR 100	100	4"	1,5	67	2 2/3"	30	11/6"	285	628	218543	218545	217815	218541
C-SR 150	150	6"	1,5	67	2 2/3"	30	11/6"	215	473	218544	218546	217816	218542
C-SR 200	200	8"	1,5	67	2 2/3"	30	11/6"	195	429	207264	203460	217817	218409
C-SR 300	300	12"	1,5	67	2 2/3"	30	11/6"	85	187	207265	201032	217818	218410
C-SR 400	400	16"	1,5	100	4"	60	2 3/8"	175	385	207266	201033	217819	218411
C-SR 500	500	20"	1,5	100	4"	60	2 3/8"	135	297	207267	201034	217820	218412
C-SR 600	600	24"	1,5	100	4"	60	2 3/8"	110	220	207268	201035	217821	218413
KSR	-	-	2	-	-	-	-	-	-	-	206828	218078	218414

KSR → 4/100 B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316) // 1 x CT2 M8X75 ( 206793-EZ / 214307-i304) + 2/100 x B2 ( 204926-EZ / 206792-GC / 205392-i304 / 218443-i316)




B1 ( 204356-EZ / 206826-GC / 204925-i304 / 218388-i316)



C-SR


KSR

## SHST



SP3S + SHST

	L		e		SWL		GS
	mm	inch	mm	kg	lb	REF	
SHST 100	100	4"	1,5	160	352	214489	
SHST 150	150	6"	1,5	160	352	214490	
SHST 200	200	8"	1,5	146	321	214491	
SHST 300	300	12"	2	157	346	214492	
SHST 400	400	16"	2	124	273	214493	
SHST 500	500	20"	2	111	244	214494	
SHST 600	600	24"	2	106	233	214495	




B1 (204356-EZ / 206826-GC)

## B1



	L		EZ	GC	i304	i316
	mm	N-m	REF.	REF.	REF.	REF.
B1-100	14	6	204356	206826	-	-
B1-100	20	6	-	-	204925	218388



## B2



	Pap	EZ	GC	i304	i316
	N-m	REF.	REF.	REF.	REF.
B2-100	15	204926	206792	205392	218443

