DELABIE











DELABIE Mirror Cabinet termékajánló

April 15, 2024

UNIQUE SOLUTIONS

Today DELABIE is an international Group well known for its ability to meet the needs of public and commercial places.

DELABIE's products, which deliver water savings and provide tangible solutions in terms of hygiene, accessibility, safety and vandal resistance, are renowned for their reliability and durability.

AN OUTSTANDING OFFERING

As a long standing partner of public, commercial and healthcare stakeholders, DELABIE has an offering that comprises five product ranges which meet the needs of each and every customer and specifier:

- Water Controls for Public and Commercial Places
- Water Controls for Healthcare Facilities
- Accessibility and Hygienic Accessories
- Stainless Steel Sanitary Ware
- Specialist Water Controls

AN INTERNATIONAL PRESENCE

Experiencing very strong growth over the past ten years, the French DELABIE Group exports to more than 90 countries from its production site in Friville in France, and through its subsidiaries in the United Kingdom, Benelux, Germany, Austria, Poland, Spain, Portugal, United Arab Emirates (Dubai) and China (Hong Kong).

DELABIE water controls and equipment are installed wherever quality is essential. This presence is possible through the brand's conformance with most international standards, as well as the relevant standards in each country. Find more DELABIE installations by destination and country on our website: www.delabie.com.

MANUFACTURER'S EXPERTISE

An industrial enterprise from the very outset, DELABIE has kept total control of the manufacture of its products over time.

Nowadays, DELABIE's teams have mastered more than thirty highly skilled trades. This unique expertise enables the company to innovate constantly and adapt its products to the needs of the market.

All DELABIE's products are quality controlled at every stage of manufacturing and are constantly subject to rigorous testing.

Total control of the production process guarantees delivery times are kept to a minimum. DELABIE's clients do not wait!











Summary

MIRROR CABINET WITH 3 FUNCTIONS Mirror, hand dryer and electronic soap dispenser Ref. 510207	Page 5
MIRROR CABINET WITH 3 FUNCTIONS Mirror, hand dryer and electronic soap dispenser Ref. 510208	 Page 7
MIRROR CABINET WITH 3 FUNCTIONS Mirror, electronic soap dispenser and paper towel dispenser Ref. 510209	 Page 9
MIRROR CABINET WITH 3 FUNCTIONS Mirror, electronic soap dispenser and paper towel dispenser Ref. 510210	 Page 11
MIRROR CABINET WITH 4 FUNCTIONS Mirror, hand dryer, soap dispenser and electronic tap Ref. 510203	 Page 13
MIRROR CABINET WITH 4 FUNCTIONS Mirror, hand dryer, soap dispenser and electronic tap Ref. 510204	 Page 15
MIRROR CABINET WITH 4 FUNCTIONS Mirror, electronic tap and soap dispenser, and paper towel dispenser Ref. 510205	 Page 17
MIRROR CABINET WITH 4 FUNCTIONS Mirror, electronic tap, soap dispenser and paper towel dispenser Ref. 510206	 Page 19

2-FUNCTION UNIT FOR INSTALLATION BEHIND A MIRROR Hand dryer and soap dispenser Ref. 510207I	Page 21
UNIT WITH 3 FUNCTIONS FOR INSTALLATION BEHIND A MIRROR Hand dryer, electronic soap dispenser and tap Ref. 510203I	Page 22
UNIT WITH 3 FUNCTIONS FOR INSTALLATION BEHIND A MIRROR Electronic tap, soap dispenser and paper towel dispenser Ref. 510205I	 Page 24
ELECTRONIC SOAP DISPENSER UNIT FOR INSTALLATION BEHIND THE MIRROR Liquid soap, foam soap or hydroalcoholic gel dispenser Ref. 510203SD	 Page 26

Mirror cabinet with 3 functions

Ref. 510207

Mirror, hand dryer and electronic soap dispenser

DESCRIPTION

Mirror cabinet with 3 functions - Ref. 510207

Mirror cabinet with 3 functions: mirror, electronic soap dispenser and electrical hand dryer.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: soap dispenser and hand dryer are activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.

Unit with 3 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser.

- Large capacity tank: 5 litres.
- Suitable for vegetable-based liquid soap with a maximum viscosity of
- 3,000 mPa.s or specific foam soap.

Air-pulse hand dryer:

- High speed: dries in 10 12 seconds.
- Pulsed air at 360km/h. Airflow: 36 l/second..
- Low energy consumption: 704W.
- Noise level: 74 dBA.
- Class I, IP23.

- 3-year warranty.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall:

linking screws are provided.

Dimensions: 600 x 223 x 1,000mm.

Weight: 39kg.

Mirror cabinet with 30-year warranty. CE marked.

.

ADVANTAGES



3 functions




Design: matte black and 304 st. steel finish



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Technology	Electonic
Height	1,000mm
Depth	223mm
Width	600mm
Thickness	Glass mirror: 4mm
Finish	Matte black melamine and 304 stainless steel
Norms	CE
Warranty	
Repairability	502 REPARABILITE



Mirror cabinet with 3 functions

Ref. 510208

Mirror, hand dryer and electronic soap dispenser

DESCRIPTION

Mirror cabinet with 3 functions - Ref. 510208

Mirror cabinet with 3 functions: mirror, electronic soap dispenser and electrical hand dryer.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: soap dispenser and hand dryer are activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.

Unit with 3 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser.

- Large capacity tank: 5 litres.
- Suitable for vegetable-based liquid soap with a maximum viscosity of
- 3,000 mPa.s or specific foam soap.

Air-pulse hand dryer:

- High speed: dries in 10 12 seconds.
- Pulsed air at 360km/h. Airflow: 36 l/second..
- Low energy consumption: 704W.
- Noise level: 74 dBA.
- Class I, IP23.

- 3-year warranty.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall:

linking screws are provided.

Suitable for people with reduced mobility.

Dimensions: 800 x 223 x 1,000mm.

Weight: 43kg.

Mirror cabinet with 30-year warranty. CE marked.



ADVANTAGES



3 functions




Design: matte black and 304 st. steel finish



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Technology	Electonic
Height	1,000mm
Depth	223mm
Width	800mm
Thickness	Glass mirror: 4mm
Finish	Matte black melamine and 304 stainless steel
Norms	CE
Warranty	30 M
Repairability	502 REPARABILITE



Mirror cabinet with 3 functions

Ref. 510209

Mirror, electronic soap dispenser and paper towel dispenser



Mirror cabinet with 3 functions - Ref. 510209

Mirror cabinet with 3 functions: mirror, electronic soap dispenser and paper towel dispenser.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: electronic soap dispenser. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.

Unit with 3 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser.

- Large capacity tank: 5 litres.

- Suitable for vegetable-based liquid soap with a maximum viscosity of

3,000 mPa.s or specific foam soap.

Paper towel dispenser:

- Dispenses one sheet at a time.

- Dimensions: 120 x 275 x 360mm.

- Contents: 500 sheets.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall:

linking screws are provided.

Dimensions: 600 x 223 x 1,000mm.

Weight: 32kg.

Mirror cabinet with 30-year warranty. CE marked.

4 1.

ADVANTAGES



3 functions




Design: matte black and 304 st. steel finish



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Technology	Electonic
Height	1,000mm
Depth	223mm
Width	600mm
Thickness	Glass mirror: 4mm
Finish	Matte black melamine and 304 stainless steel
Norms	CE
Warranty	30 M
Repairability	50 ² REPARABULTE



Mirror cabinet with 3 functions

Ref. 510210

Mirror, electronic soap dispenser and paper towel dispenser



Mirror cabinet with 3 functions - Ref. 510210

Mirror cabinet with 3 functions: mirror, electronic soap dispenser and paper towel dispenser.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: electronic soap dispenser. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.

Unit with 3 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser.

- Large capacity tank: 5 litres.

- Suitable for vegetable-based liquid soap with a maximum viscosity of

3,000 mPa.s or specific foam soap.

Paper towel dispenser:

- Dispenses one sheet at a time.

- Dimensions: 120 x 275 x 360mm.

- Contents: 500 sheets.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall:

linking screws are provided.

Suitable for people with reduced mobility.

Dimensions: 800 x 223 x 1,000mm.

Weight: 42kg.

Mirror cabinet with 30-year warranty. CE marked.

. .

ADVANTAGES



3 functions




Design: matte black and 304 st. steel finish



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Technology	Electonic
Height	1000mm
Depth	223mm
Width	800mm
Thickness	Glass mirror: 4mm
Finish	Matte black melamine and 304 stainless steel
Norms	CE
Warranty	30 MARCANTY
Repairability	502 REPARADINTE



Mirror cabinet with 4 functions

Ref. 510203

Mirror, hand dryer, soap dispenser and electronic tap

5 4 5 -

DESCRIPTION

Mirror cabinet with 4 functions - Ref. 510203

Mirror cabinet with 4 functions: mirror, electronic tap, soap dispenser and electrical hand dryer.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: soap dispenser, tap and hand dryer are activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Connects to the water supply from the top or from inside the cabinet.

- Water connection in M3/8"

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.

Unit with 4 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser

- Large capacity tank: 5 litres.

- Suitable for vegetable-based liquid soap with a maximum viscosity of

3,000 mPa.s or specific foam soap.

Electronic basin tap*:

- Reduced stagnation solenoid valve.
- Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm.
- Scale-resistant flow straightener.
- Duty flush (~60 seconds every 24 hours after the last use).
- Stopcock.

Air-pulse hand dryer:

- High speed: dries in 10 12 seconds.
- Pulsed air at 360km/h. Airflow: 36 l/second.
- Low energy consumption: 704W.
- Noise level: 74 dBA.
- Class I, IP23.
- 3-year warranty.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall:

linking screws are provided.

Dimensions: 600 x 223 x 1,000mm.

Weight: 39kg.

Mirror cabinet with 30-year warranty.

CE marked.

* We recommend a PREMIX mixer.

ADVANTAGES



4 functions




Design: matte black and 304 st. steel finish



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Connector	M3/8"
Technology	Electronic
Height	1,000mm
Depth	223mm
Width	600mm
Flow rate	Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm
Thickness	Glass mirror: 4mm
Finish	Matte black melamine and 304 stainless steel
Norms	ACS (E
Warranty	30 M
Repairability	500 E



Mirror cabinet with 4 functions

Ref. 510204

Mirror, hand dryer, soap dispenser and electronic tap



Mirror cabinet with 4 functions - Ref. 510204

Mirror cabinet with 4 functions: mirror, electronic tap, soap dispenser and electrical hand dryer.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: soap dispenser, tap and hand dryer are activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Connects to the water supply from the top or from inside the cabinet.

- Water connection in M3/8".

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.

Unit with 4 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser
- Large capacity tank: 5 litres.
- Suitable for vegetable-based liquid soap with a maximum viscosity of
- 3,000 mPa.s or specific foam soap.

Electronic basin tap*:

- Reduced stagnation solenoid valve.
- Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 9 lpm.
- Scale-resistant flow straightener.
- Duty flush (~60 seconds every 24 hours after the last use).
- Stopcock.

Air-pulse hand dryer:

- High speed: dries in 10 12 seconds.
- Pulsed air at 360km/h. Airflow: 36 l/second.
- Low energy consumption: 704W.
- Noise level: 74 dBA.
- Class I, IP23.
- 3-year warranty.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall:

linking screws are provided ..

Suitable for people with reduced mobility.

Dimensions: 800 x 223 x 1,000mm.

Weight: 46kg.

Mirror cabinet with 30-year warranty. CE marked.

* We recommend a PREMIX mixer.

5 4 5

ADVANTAGES



4 functions




Matte black and 304 st. steel designer cabinet



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Connector	M3/8"
Technology	Electronic
Height	1,000mm
Depth	223mm
Width	800mm
Flow rate	Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 9 lpm
Thickness	Glass mirror: 4mm
Finish	Mélaminé noir mat et inox 304
Norms	ACS CE
Warranty	30 M
Repairability	502 REPARABILITE



Mirror cabinet with 4 functions

Ref. 510205

Mirror, electronic tap and soap dispenser, and paper towel dispenser



DESCRIPTION

Mirror cabinet with 4 functions - Ref. 510205

Mirror cabinet with 4 functions: mirror, electronic tap, soap dispenser and paper towel dispenser.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: tap and soap dispenser activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Connects to the water supply from the top or from inside the cabinet.

- Water connection in M3/8".

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.

Unit with 4 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser

- Large capacity tank: 5 litres.

- Suitable for vegetable-based liquid soap with a maximum viscosity of
- 3,000 mPa.s or specific foam soap.

Electronic basin tap*:

- Reduced stagnation valve.
- Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm.
- Scale-resistant flow straightener.
- Duty flush (~60 seconds every 24 hours after the last use).
- Stopcock.

Paper towel dispenser:

- Dispenses one sheet at a time.
- Dimensions: 120 x 275 x 360mm.

- Contents: 500 sheets.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall:

linking screws are provided.

Dimensions: 600 x 223 x 1,000mm. Weight: 38.5kg.

Mirror cabinet with 30-year warranty.

CE marked.

* We recommend a PREMIX mixer.

ADVANTAGES



4 functions




Design: matte black and 304 st. steel finish



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Connector	M3/8"
Technology	Electronic
Height	1,000mm
Depth	223mm
Width	600mm
Flow rate	Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm
Thickness	Glass mirror: 4mm
Finish	Matte black melamine and 304 stainless steel
Norms	ACS CE
Warranty	30 MARRANTY
Repairability	502 REPARAULITE



Mirror cabinet with 4 functions

Ref. 510206

Mirror, electronic tap, soap dispenser and paper towel dispenser



DESCRIPTION

Mirror cabinet with 4 functions - Ref. 510206

Mirror cabinet with 4 functions: mirror, electronic tap and soap dispenser and paper towel dispenser.

Designer cabinet with a matte black melamine and 304 stainless steel finish.

Touch-free for improved hygiene: tap and soap dispenser activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Connects to the water supply from the top or from inside the cabinet.

- Water connection in M3/8".

- Concealed fixings. Mirror cabinet supplied with stainless steel screws for concrete or reinforced wood.

- Adjustable hinges.
- Unit with 4 functions:

4mm thick glass mirror and black glass strip with illuminated pictograms. Automatic soap dispenser:

- No-waste pump dispenser
- Large capacity tank: 5 litres.
- Suitable for vegetable-based liquid soap with a maximum viscosity of
- 3,000 mPa.s or specific foam soap.

Electronic basin tap*:

- Reduced stagnation valve.
- Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 9 lpm.
- Scale-resistant flow straightener.
- Duty flush (~60 seconds every 24 hours after the last use).
- Stopcock.

Paper towel dispenser:

- Dispenses one sheet at a time.
- Dimensions: 120 x 275 x 360mm.

- Contents: 500 sheets.

Basin lit by the LED strip.

Vandal-resistant model with standard DELABIE key.

Anti-blocking: stops automatically if used continuously.

Internal storage shelf.

Several cabinets can be installed side-by-side to create a mirror wall: linking screws are provided.

Suitable for people with reduced mobility.

Dimensions: 800 x 223 x 1,000mm.

Weight: 45.5kg.

Mirror cabinet with 30-year warranty.

CE marked.

* We recommend a PREMIX mixer.

ADVANTAGES



4 functions




Matte black and 304 st. steel designer cabinet



Hygiene: touch-free



Supply	Mains: 230V / 50-60Hz
Connector	M3/8"
Technology	Electronic
Height	1,000mm
Depth	223mm
Width	800mm
Flow rate	Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 9 lpm
Thickness	Glass mirror: 4mm
Finish	Matte black melamine and 304 stainless steel
Norms	ACS CE
Warranty	30 M
Repairability	500 ge



2-function unit for installation behind a mirror

Ref. 510207I

Hand dryer and soap dispenser



DESCRIPTION

2-function unit for installation behind a mirror - Ref. 510207I


2-function unit: electronic soap dispenser and air pulse hand dryer.

- Quick and easy to install in a cabinet or behind a mirror.
- Fixings at the back and sides.
- 304 stainless steel support, 1.2 mm thick.
- Supplied with self-adhesive pictograms to indicate the location of the different functions on the mirror/cabinet: soap and air.
- Vandal-resistant model with standard DELABIE key.
- 30-year warranty (3-year warranty for the hand dryer).
- CE marked.

ADVANTAGES



Supply	230/6 V mains supply
Technology	Electronic
Height	381mm
Depth	183mm
Width	561mm
Thickness	1.2mm thick support
Finish	304 stainless steel support
Warranty	30 B





Unit with 3 functions for installation behind a mirror

Ref. 510203I

Hand dryer, electronic soap dispenser and tap



DESCRIPTION

Unit with 3 functions for installation behind a mirror - Ref. 510203I

Unit with 3 functions: electronic soap dispenser, tap and hand dryer. Touch-free for improved hygiene: soap dispenser, tap and hand dryer are activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- Fitted into a cabinet. Fixings on the sides and the back. 304 stainless steel support, 1.2 mm thick.

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Water connection in M3/8"

- Supplied with stainless steel screws for concrete or reinforced wood. Unit with 3 functions:

Automatic soap dispenser:

- No-waste pump dispenser.
- Large capacity tank: 5 litres.

- Suitable for vegetable-based liquid soap with a maximum viscosity of 3,000 mPa.s or specific foam soap.

Electronic basin tap*:

- Reduced stagnation solenoid valve.
- Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm.
- Scale-resistant flow straightener.
- Duty flush (~60 seconds every 24 hours after the last use).
- Stopcock.

Air-pulse hand dryer:

- High speed: dries in 10 12 seconds.
- Pulsed air at 360km/h. Airflow: 36 l/second..
- Low energy consumption: 704W.
- Noise level: 74 dBA.
- Class I, IP23.

- 3-year warranty.

Supplied with self-adhesive pictograms to indicate the location of the different functions on the mirror/cabinet: soap, water and air. Vandal-resistant model with standard DELABIE key. Anti-blocking: stops automatically if used continuously. Dimensions: 561 x 183 x 381mm. Weight: 6.1kg. Mirror cabinet with 30-year warranty.


CE marked.

* We recommend a PREMIX mixer.

ADVANTAGES



Supply	Mains: 230V / 50-60Hz recessed
Connector	M3/8"
Technology	Electronic
Height	381mm
Depth	183mm
Width	561mm
Flow rate	Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm
Thickness	1.2mm thick support
Finish	304 stainless steel support
Norms	CE
Warranty	30 S
Repairability	502 REPARAMENTE



Unit with 3 functions for installation behind a mirror

Ref. 510205I

Electronic tap, soap dispenser and paper towel dispenser



DESCRIPTION

Unit with 3 functions for installation behind a mirror - Ref. 510205I

Unit with 3 functions: electronic soap dispenser, tap and paper towel dispenser.

Touch-free for improved hygiene: soap dispenser and tap are activated automatically when hands are detected by infrared sensor. Quick and easy to install:

- Fitted into a cabinet. Fixings on the sides and the back. 304 stainless steel support, 1.2 mm thick.

- A single electrical connection for all the elements: mains supply with 230V / 50-60Hz.

- Water connection in M3/8"

- Supplied with stainless steel screws for concrete or reinforced wood. Unit with 3 functions:

Automatic soap dispenser:

- No-waste pump dispenser.
- Large capacity tank: 5 litres.

- Suitable for vegetable-based liquid soap with a maximum viscosity of 3,000 mPa.s or specific foam soap.

Electronic basin tap*:

- Reduced stagnation solenoid valve.
- Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm.
- Scale-resistant flow straightener.
- Duty flush (~60 seconds every 24 hours after the last use).
- Stopcock.
- Paper towel dispenser:
- Dispenses one sheet at a time.
- Dimensions: 120 x 275 x 360mm.
- Contents: 500 sheets.

Supplied with self-adhesive pictograms to indicate the location of the different functions on the mirror/cabinet: soap, water and paper towels.

Vandal-resistant model with standard DELABIE key. Anti-blocking: stops automatically if used continuously.

Dimensions: 561 x 183 x 381mm.

Weight: 5 kg.


Mirror cabinet with 30-year warranty. CE marked.

* We recommend a PREMIX mixer.

ADVANTAGES



Supply	Mains: 230V / 50-60Hz recessed
Connector	M3/8"
Technology	Electronic
Height	381mm
Depth	183mm
Width	561mm
Flow rate	Flow rate pre-set at 3 lpm at 3 bar, can be adjusted from 1.4 to 6 lpm
Thickness	1.2mm thick support
Finish	304 stainless steel support
Norms	CE
Warranty	30 S
Repairability	502 REPARAMUNTE



Electronic soap dispenser unit for installation behind the mirror

Ref. 510203SD

Liquid soap, foam soap or hydroalcoholic gel dispenser

DESCRIPTION

Electronic soap dispenser unit for installation behind the mirror - Ref. 510203SD

Electronic soap dispenser unit for installation behind a mirror or cabinet. Touch-free for improved hygiene: soap dispenser is activated automatically when hands are detected by infrared sensor.

- Easy to install: fitted into a cabinet. Fixings on the sides and the back.
- 304 stainless steel support, 1.2 mm thick.
- Mains supply with 100-240V / 6V 50-60 Hz. transformer.
- No-waste pump dispenser.
- Large capacity tank: 5 litres.

- Suitable for vegetable-based liquid soap with a maximum viscosity of 3,000 mPa.s or specific foam soap.

Supplied with self-adhesive pictogram to indicate the location of the soap dispenser on the mirror/cabinet.

Anti-blocking: stops automatically if used continuously.

Dimensions: 230 x 177 x 376mm.

Weight: 1.6 kg.

30-year warranty.


CE.

CHARACTERISTICS

Supply	Mains supply with 100-240V / 6V 50- 60 Hz transformer
Technology	Electronic
Height	376mm
Depth	177mm
Width	230mm
Thickness	1.2mm thick support
Finish	304 stainless steel support
Norms	CE
Warranty	30 H
Repairability	50°2 REPARABILITE




ADVANTAGES





No waste dose dispenser



Notes
